

# SKG-IKOB PRODUCTCERTIFICATE

## 437.393.02

Date of issue: 29-01-2024



### Certificate holder

Wilka Schließtechnik GmbH  
Mettmanner Straße 56-64  
D-42549 Velbert  
T: +49 (0) 2051 208 10  
E: info@wilka.de  
I: www.wilka.de



### Declaration of SKG-IKOB

This certificate has been issued on the basis of BRL 3104 in accordance with the SKG-IKOB Regulations for Attestation, Certification and Inspection.

SKG-IKOB declares that the by or on behalf of the certificate owner produced building hardware product:

### euro profile cylinder electro mechanical

delivered under logo / brand:

**Wilka / SmartKing**

delivered under type- and / or article number:

**E207 , E203 , E213**

meets class 3 STER according BRL 3104 and NEN 5089: 2009 if the product is indelibly marked with the SKG mark, as shown above.

For SKG-IKOB

A handwritten signature in blue ink, consisting of a stylized 'H' and 'A' followed by a long horizontal line.

ir. H.A.J. van Dartel  
Certification manager

Verify at [www.sterrenwijzer.nl](http://www.sterrenwijzer.nl) if this certificate is still valid and actual.  
This certificate contains 2 pages.

SKG-IKOB Certificatie  
Poppenbouwing 56  
4191 NZ Geldermalsen

Postbus 202  
4190 CE Geldermalsen

T 088-2440100  
[info@skgikob.nl](mailto:info@skgikob.nl)  
[www.skgikob.nl](http://www.skgikob.nl)

CERTIFICATE

# SKG-IKOB PRODUCTCERTIFICATE

Wilka Schließtechnik GmbH  
Number: 437.393.02

page 2 of 2

## 1. PRODUCT

euro profile cylinder electro mechanical

## PRODUCT TYPE

cylinder

## 2. TECHNICAL SPECIFICATION

|               |   |
|---------------|---|
| Operating:    | Mechanical and electronical operation   |
| Construction: | modulair single with an lockable knob; modulair double with an both side an lockable knob   |
| System:       | electronic transponder which establishes the mechanical coupling of the carrier   |
|               | operation via: <ul style="list-style-type: none"><li>- Transponder card, Key fob or Mechatronic Key</li><li>- WILKA easyApp. on phone or tablet</li></ul>   |
| Material:     | cylinder body: brass with various coatings  |
| Dimension:    | 17 mm profile from:<br>(single) 10/30 mm in various extensions per 0/5 mm and<br>(double) 30/30 mm in various extensions per 5 mm   |
| Fixing:       | 1 steel bolt M5, length $\geq$ backset + 10 mm  |
| Intended use: | The electromechanical product is operated electronically using the options stated under "System".<br>The operating options listed below, as well as the closure, are included in the<br>Self-declaration - additional product requirements for electromechanical and electronic hinges and locks; dated<br>18-12-2023,<br>with which the certificate holder declares that the applicable requirements are met.<br><br>in combination with cylinder mortice locks and security furniture |

## 3. DELIVERY

The preconditions for correct installation and the fasteners to be used are described in the enclosed or digitally published installation instructions with the following version:

E203 - 70 40 204 17.12.2014 E207 - 70 40 206 02.11.2016 E213 - 70 40 207 02.11.2016

## 4. PERFORMANCES

A euro profile cylinder electro mechanical according this certificate fulfils the relevant requirements of BRL 3104.

A window- or door set, in which this euro profile cylinder electro mechanical is installed according the installation instructions of the certificate holder meets at least burglar resistance class (RC) 3 of NEN 5096 and EN 1627, if:

the façade element or the (profile-)system from which the element is manufactured is delivered under a (KOMO-)quality approval with respect to the aspect burglar resistance, in which the actual window or door type is admitted and the herein mentioned conditions are fulfilled.

A window or door, in existing buildings, in which this euro profile cylinder electro mechanical is installed according the installation instructions of the certificate holder, meets the requirements of the Police Mark Save Housing (PKVW) - Existing Building, if:

the other aspects of the façade element also comply with the applicable PKVW Protection directive (publication CCV).